

| | | |
|---|-------|----|
| | | 3 |
| | | 3 |
| | | 3 |
| 1 | | 3 |
| 2 | | 3 |
| 3 | | 4 |
| 4 | | 4 |
| 5 | | 4 |
| 6 | | 5 |
| 7 | | 5 |
| 8 | | 6 |
| 9 | | 6 |
| 1 | | 6 |
| 1 | | 7 |
| 1 | | 7 |
| 1 | | 7 |
| | | 8 |
| 1 | | 8 |
| 2 | | 8 |
| 3 | | 8 |
| 4 | | 9 |
| 5 | | 9 |
| 6 | | 9 |
| | | 9 |
| 1 | | 9 |
| 2 | | 9 |
| 3 | | 10 |
| 4 | | 10 |
| 5 | | 10 |
| | | 11 |
| 1 | | 11 |
| 2 | | 11 |
| 3 | | 11 |
| 4 | | 12 |
| 5 | | 12 |

| | | |
|---|-------|----|
| 6 | | 12 |
| | | 12 |
| 1 | | 13 |
| 2 | | 13 |
| 3 | | 13 |
| 4 | | 13 |
| 5 | | 13 |
| | | 14 |
| 1 | | 14 |
| 2 | | 14 |
| 3 | | 14 |
| 4 | | 15 |
| 5 | | 15 |
| 6 | | 15 |
| | | 16 |
| 1 | | 16 |
| 2 | | 16 |
| | | 16 |
| | | 16 |
| | | 18 |
| | | 18 |
| | | 19 |
| | | 20 |
| | | 20 |
| | | 21 |
| | | 22 |
| | | 22 |



[Redacted]

<%cutstring({dr[title]},20)%>

[Redacted]

<%datetostr({...},strFormat)%>

[Redacted]

[Redacted]

<%datetostr({dr[adddate]},yyyy-MM-dd)%>

[Redacted]

[Redacted]

[Redacted]

<%linkurl(pagetype,id,params)%>

[Redacted]

[Redacted]

[Redacted]

```
<%set DataTable list = get_infoclass_list(followid)%>
```

[Redacted]

[Redacted]

```
<%set DataTable list = get_infoclass_list(1)%>
```

[Redacted]

```
<%set DataTable list2 = get_info_list(classid,top,strwhere,orderby)%>
```

[Redacted]

<%set DataTable list2 = get_info_list(2,10, isnice=1)%>

<%set DataTable list = get_productclass_list(followid)%>

<%set DataTable list = get_productclass_list(1)%>

<%set DataTable list2 = get_product_list(classid,top,strwhere,orderby)%>

<%set DataTable list2 = get_product_list(2,10, isnice=1)%>

<%set DataTable list = get_other_list(followid)%>



```
<%set DataTable list = get_other_list(1)%>
```



```
<%set OtherModel modelt = get_other_model(id)%>
```



```
<%set DataTable banner1 = get_advert_content_list(top,name,strwhere,orderby)%>
```



```
<%set DataTable link = get_link(top,strwhere,orderby)%>
```



```
<%set DataTable link = get_link(15,"ispic=1","ordnum desc"%>
```

```
<%set DataTable link = get_link(15,"ispic=0","ordnum desc")%>
```



```
<%set DataTable banner1 = get_advert_content_list(top,name,strwhere)%>
```

```
<%foreach(DataRow dr in banner1.Rows)%>
```

```
<div class="swiper-slide" style="background: url('{dr[imagepath]}') center top no-repeat;"><a
```

```
href="{dr[url]}" target= {dr[target]} ></a></div>
```

```
</foreach%>
```



```
<%set DataTable list = get_infoclass_list(followid)%>
```

```
<%foreach(DataRow dr in list.Rows)%>
```

```
<a href="<%linkurl("infoclass",{dr[id]})%>">{dr[title]}</a>
```

```
</foreach%>
```



```
<%set DataTable list1 = get_info_list(classid,top,strwhere,orderby)%>
```

```
<%foreach(DataRow dr in list1.Rows)%>
```

```
<li><a href="<%linkurl("info",{dr[id]})%>" title="{dr[title]}">{dr[title]}</a></li>
```

```
</foreach%>
```



[REDACTED]

```
<%set DataTable list = get_productclass_list(followid)%>  
<%foreach(DataRow dr in list.Rows)%>  
<a href="<%linkurl("productclass",{dr[id]})%">>{dr[title]}</a>  
<%/foreach%>
```

[REDACTED]

[REDACTED]

```
<%set DataTable list1 = get_product_list(classid,top,strwhere,orderby)%>  
<%foreach(DataRow dr in list1.Rows)%>  
<li><a href="<%linkurl("info",{dr[id]})%">" title="{dr[title]}">{dr[title]}</a></li>  
<%/foreach%>
```

[REDACTED]

[REDACTED]

```
<%set OtherModel modelt = get_other_model(id)%>  
<div>{modelt.content}</div>
```

[REDACTED]

[REDACTED]

{model.XXX}

[REDACTED]

```
<%set DataTable list = get_infoclass_list(1)%>
<%foreach(DataRow dr in list.Rows)%>
<a href="<%linkurl("infoclass",dr[id])%">
<%if(model.id=={strtoint({dr[id])})%>class="active"</if%>>{dr[title]}</a>
</foreach%>
```



```
<%set DataTable list2 = get_info_list(classid,pagesize,page,"",out totalcount)%>
<%set pagelist = get_page_link(pagesize,page,totalcount,"infoclass",classid,"__id__")%>
<%foreach(DataRow dr in list2.Rows)%>
<div class="list">
  <div class="pic"><a href="<%linkurl("info",{dr[id]})%"><img
data-original="{siteconfig.SiteRoot}thumb.ashx?image={dr[imagepath]}&width=176&height=127
" /></a></div>
  <div class="info">
    <h3><a href="<%linkurl("info",{dr[id]})%">
title="{dr[title]}"<%cutstring({dr[title]},40)%></a></h3>
    <div class="jieshao"><%cutstring({dr[content]},156)%></div>
    <div class="time">    <%datetostr({dr[adddate]},yyyy-MM-dd)%>
<span>{dr[hits]}</span></div>
  </div>
```

</div>

<%/foreach%>

<div class="fenye">{pagelist}</div>



<%foreach(Info_ImageModel modelt in model.images)%>

<img src= {siteconfig.SiteRoot}thumb.ashx?image={model.imagepath}&width=176&height=127

alt= {modelt.remark} />

<%/foreach%>





```
<%set DataTable list33 = get_related_info(top,strwhere)%>
<%foreach(DataRow dr in list33.Rows)%>
<div class="list">
  <div class="pic"><a href="<%linkurl("info",{dr[id]})%>"></a></div>
  <div class="info">
    <h3><a href="<%linkurl("info",{dr[id]})%>"
title="{dr[title]}"><%cutstring({dr[title]},40)%></a></h3>
    <div class="jieshao"><%cutstring({dr[content]},156)%></div>
    <div class="time">    <%datetostr({dr[adddate]},yyyy-MM-dd)%>
<span>{dr[hits]}</span></div>
  </div>
</div>
</foreach%>
```



{model.XXX}

<%set DataTable list = get_productclass_list(1)%>

<%foreach(DataRow dr in list.Rows)%>

<a href="<%linkurl("productclass",dr[id])%">"

<%if(model.id=={strtoint({dr[id])})%>class="active"</if%>>{dr[title]}

</foreach%>

<%set DataTable list2 = get_product_list(classid,pagesize,page,"",out totalcount)%>

<%set pagelist = get_page_link(pagesize,page,totalcount,"productclass",classid,"__id__")%>

<%foreach(DataRow dr in list2.Rows)%>

<div class="list">

<div class="pic"><a href="<%linkurl("product",{dr[id])%">"><img
data-original="{siteconfig.SiteRoot}thumb.ashx?image={dr[imagepath]}&width=176&height=127
" /></div>

<div class="info">

<h3><a href="<%linkurl("product",{dr[id])%">"
title="{dr[title]}"><%cutstring({dr[title]},40)%></h3>

```
<div class="jieshao"><%cutstring({dr[content]},156)%></div>
<div class="time"> <%datetostr({dr[adddate]},yyyy-MM-dd)%>
<span>{dr[hits]}</span></div>
</div>
</div>
<%/foreach%>
<div class="fenye">{pagelist}</div>
<img alt="Redacted image" data-bbox="380 268 545 291" style="background-color: red; width: 165px; height: 23px; margin-left: 300px; margin-top: 10px; margin-bottom: 10px;"/>
<img alt="Redacted image" data-bbox="512 478 891 526" style="background-color: black; width: 379px; height: 48px; margin-left: 200px; margin-top: 100px; margin-bottom: 10px;"/>
<img alt="Redacted image" data-bbox="465 608 754 631" style="background-color: black; width: 289px; height: 23px; margin-left: 360px; margin-top: 100px; margin-bottom: 10px;"/>
<%foreach(Product_ImageModel modelt in model.images)%>
<img src= {siteconfig.SiteRoot}thumb.ashx?image={model.imagepath}&width=176&height=127
alt= {modelt.remark} />
<img alt="Redacted image" data-bbox="380 738 545 761" style="background-color: red; width: 165px; height: 23px; margin-left: 300px; margin-top: 10px; margin-bottom: 10px;"/>
<img alt="Redacted image" data-bbox="545 843 938 866" style="background-color: black; width: 393px; height: 23px; margin-left: 440px; margin-top: 100px; margin-bottom: 10px;"/>
```



```
<%set DataTable list33 = get_related_product(top,strwhere)%>
```

```
<%foreach(DataRow dr in list33.Rows)%>
```

```
<div class="list">
```

```
    <div class="pic"><a href="<%linkurl("product",{dr[id]})%">
<%set pagelist = get_page_link(12,page,totalcount,"infosearch",0,"__id__")%>
<%foreach(DataRow dr in list2.Rows)%>
<dd>
    <a href="<%linkurl("info",{dr[id]})%" title="{dr[title]}"><span>{dr[title]}</span></a>
</dd>
<%/foreach%>
<div class="content_page">{pagelist}</div>
```



```
<%set DataTable list2 = get_product_list(classid,12,page,"title like '%" + keyword + "%'",out
totalcount)%>
<%set pagelist = get_page_link(12,page,totalcount,"productsearch",0,"__id__")%>
```



```
<%foreach(DataRow dr in list2.Rows)%>
<dd>
    <a href="<%linkurl("product",{dr[id]})%" title="{dr[title]}"><span>{dr[title]}</span></a>
</dd>
<%/foreach%>
<div class="content_page">{pagelist}</div>
```







| | | | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |



| | | | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
| | | | | | | |





| 序号 | 列名 | 数据类型 | 长度 | 小数位 | 默认值 | 说明 |
|----|-----------|---------|-----|-----|-----|----|
| 1 | id | int | | | | ID |
| 2 | title | varchar | 255 | | | |
| 3 | imagepath | varchar | 255 | | | |
| 4 | filename | varchar | 50 | | | |
| 5 | classid | int | | | | ID |

| | | | | | | |
|----|---------------|----------|-----|--|-------|-------|
| 6 | topi csid | int | | | | |
| 7 | iscreate | short | | | 0 | |
| 8 | isnice | short | | | 0 | 1- 0- |
| 9 | istop | short | | | 0 | 1- 0- |
| 10 | ispass | short | | | 0 | 1- 0- |
| 11 | tags | varchar | 255 | | | |
| 12 | author | varchar | 50 | | | |
| 13 | comefrom | varchar | 50 | | | |
| 14 | hits | int | | | 0 | |
| 15 | isurl | short | | | 0 | 1- 0- |
| 16 | url | varchar | 255 | | | URL |
| 17 | content | varchar | 0 | | | |
| 18 | keywords | varchar | 100 | | | |
| 19 | description | varchar | 200 | | | |
| 20 | adddate | datetime | | | Now() | |
| 21 | liketype | short | | | 0 | |
| 22 | likeid | varchar | 255 | | | |
| 23 | iscomment | short | | | 0 | |
| 24 | ispic | short | | | 0 | 1- 0- |
| 25 | extlink | varchar | 255 | | | |
| 26 | Ordnum | int | | | 0 | |
| 27 | seotitle | varchar | 255 | | | SEO |
| 28 | extclassid | varchar | 255 | | | |
| 29 | isshot | short | | | 0 | 1- 0- |
| 30 | properties_id | int | | | 0 | ID |



| 序号 | 列名 | 数据类型 | 长度 | 小数位 | 默认值 | 说明 |
|----|-----------|---------|-----|-----|-----|----|
| 1 | id | int | | | | ID |
| 2 | title | varchar | 255 | | | |
| 3 | imagepath | varchar | 255 | | | |
| 4 | followd | int | | | | ID |
| 5 | ordnum | int | | | 100 | |
| 6 | templates | varchar | 50 | | | |
| 7 | otherpath | varchar | 50 | | | |

| | | | | | | |
|----|---------------|----------|-----|--|-------|-----|
| 8 | filename | varchar | 50 | | | |
| 9 | content | varchar | 0 | | | |
| 10 | keywords | varchar | 100 | | | |
| 11 | description | varchar | 200 | | | |
| 12 | adddate | datetime | | | Now() | |
| 13 | seotitle | varchar | 255 | | | SEO |
| 14 | depth | int | | | 1 | |
| 15 | properties_id | int | | | 0 | ID |



| 序号 | 列名 | 数据类型 | 长度 | 小数位 | 默认值 | 说明 |
|----|-----------|---------|-----|-----|-----|----|
| 1 | id | int | | | 0 | ID |
| 2 | infoid | int | | | 0 | ID |
| 3 | imagepath | varchar | 255 | | | |
| 4 | remark | varchar | 255 | | | |
| 5 | ordnum | int | | | 1 | |



| 序号 | 列名 | 数据类型 | 长度 | 小数位 | 默认值 | 说明 |
|----|-----------|---------|-----|-----|-----|----|
| 1 | id | int | | | 0 | ID |
| 2 | ProductID | int | | | 0 | ID |
| 3 | ImagePath | varchar | 255 | | | |
| 4 | remark | varchar | 255 | | | |
| 5 | ordnum | int | | | 1 | |